

IN THE CLAIMS:

1-7. Canceled.

8. (Currently Amended) A system for monitoring a material application system, comprising:

a spraying application system in a first building site at a first geographic location;
a spraying application system monitoring module that receives real time operating data from said spray application system and that is accessible to a communication network;
said monitoring module formatting said real time operating data into signals accessible via said network; said real time operating data comprising air pressure and material flow rates;
and

a remote access module in a second and different building site than said first building site with said second building site being located at a second geographic location that provides access by a geographically remote user to acquire said real time operating data via said network.

9. (Original) The system of claim 8 wherein said network comprises the Internet.

10. (Previously Presented) The system of claim 8 comprising a database that contains historical operating parameter information, said database being accessible by said remote user via said remote access module.

11. (Original) The system of claim 8 wherein said database and operating data are accessible via secure Web pages on the Internet.

12-13. Canceled.

14. (Previously Presented) The system of claim 8 wherein said remote access module accesses real time operational parameters and corresponding parameters stored as initial set-up values to permit geographically remote monitoring of system performance.

15. (Previously Presented) The system of claim 14 wherein said remote access module accesses operating and historical data for trend analysis and preventative maintenance.

16. (Previously Presented) The system of claim 8 wherein said spraying application system comprises a powder spraying system and wherein said operating data comprises powder flow rates, powder spray gun electrical powder characteristics, powder spray gun triggering characteristics, powder film thickness characteristics and pressure characteristics.

17. (Previously Presented) The system of claim 8 wherein said operating data comprises a fire detection status signal.

18. (Previously Presented) The system of claim 8 wherein said operating data comprises part identification and conveyer speed data signals.

19. (Currently Amended) A system for monitoring and servicing a material application system, comprising:

a material application system in a customer building site at a first geographic location;

a material application system monitoring module that receives real time operating data including information representing a characteristic of the material from said material application system and that is accessible to a communication network;

said monitoring module formatting said real time operating data into signals accessible via said network; said real time operating data comprising air pressure and material flow rates;
and

a remote access module in a second and different building site than said first building site with said second building site being the manufacturer's site of said material application system, said manufacturer's site being located at a second geographic location that provides access by a geographically remote user to acquire said real time operating data via said network and analyze performance of said material application system.

20. (Previously Presented) The system of claim 19 comprising a database that contains historical operating parameter information, said database being accessible by said remote user via said remote access module.

21. (Previously Presented) The system of claim 19 wherein said remote access module accesses real time operational parameters and corresponding parameters stored as initial set-up values to permit geographically remote monitoring of system performance.

22. (Previously Presented) The system of claim 19 wherein said communication network comprises the Internet.

23. (Previously Presented) The system of claim 19 wherein the remote user can access and update a repair history database for said material application system.

24. (Currently Amended) A method for monitoring and servicing a material application system, comprising the steps of:

operating a material application system in a customer building site at a first geographic location;

accessing real time operating data from said material application system over a communication network; said real time operating data comprising air pressure and material flow rates;

wherein said real time operating data is accessed from in a second and different building site than said first building site with said second building site being the manufacturer's site of said material application system, said manufacturer's site being located at a second geographic location by a geographically remote user to acquire said real time operating data via said network and analyze performance of said material application system.

25. (Previously Presented) The method of claim 24 comprising the step of accessing historical operating data.

26. (Previously Presented) The method of claim 24 comprising the step of accessing real time operational parameters and corresponding parameters stored as initial set-up values to permit geographically remote monitoring of system performance.

27. (Previously Presented) The method of claim 24 comprising the step of accessing and updating a repair history database for said material application system.

28. (Currently Amended) Apparatus for remote monitoring of a powder spray system, comprising:

a powder spray system operating in a first building site at a first geographic location;
a plurality of data devices for detecting a plurality of said powder spray system real time operating parameters including powder flow rate and air pressure and producing a corresponding plurality of real time data signals;

a controller that receives said data signals and formats them for communication across a communication network;

a communication network; and

a remote access computer in a second and different building site than said first building site with said second building site being located at a second geographic location connectable to said communication network that provides access by a geographically remote user to acquire said real time operating data via said network and analyze performance of said powder spray system.

29. (Previously Presented) The apparatus of claim 28 wherein said communication network comprises the Internet.

30. (Previously Presented) The apparatus of claim 28 wherein said operating parameters are selected to include at least one of the following: fan speed, film thickness, flow rate, air quality, conveyor speed, electrical ground quality, electrical pulse rate and sequence, powder quality, part identification.

31. (Previously Presented) The apparatus of claim 28 wherein said data devices comprise a fire detector.

32-37. Canceled.

38. (Currently Amended) The system of claim 8 ~~32~~ wherein said remote user accesses said real time operating data and historical data to identify system malfunction.

39. (Currently Amended) The system of claim 8 ~~±~~ wherein said remote user accesses said real time operating data and historical data to identify system malfunction.